



**Pursuit of
Perfection
Environmental
Purity.**



Meer productinformatie:

info@energytools.nl

010-8439068

www.energytools.nl



Aeon Lighting Technology Inc.

High Power LED Lighting Solutions

www.aeonlighting.com

2011 ver 3

ALTED



reddot design award
winner 2011



G19 Globe

G19 Globe
GX5.3 / GU5.3



Working Voltage 12V AC/DC
Weight 0.9 oz. (25 g)
Operating Temp -20°C to +40°C
Lumen Maintenance 20,000+ hours
Warranty 2 Years Limited
Optional : AC Adapter



G19 Globe
E26 / 24 (US)



Working Voltage 100 - 240V AC
Weight 1.7 oz. (48 g)
Operating Temp -20°C to +40°C
Lumen Maintenance 20,000+ hours
Warranty 2 Years Limited

G19 Globe
E26 / 27 (EURO)



Working Voltage 100 - 240V AC
Weight 1.7 oz. (48 g)
Operating Temp -20°C to +40°C
Lumen Maintenance 20,000+ hours
Warranty 2 Years Limited

G19 Globe
GU10 / GZ10



Working Voltage 100 - 240V AC
Weight 1.42 oz. (40 g)
Operating Temp -20°C to +40°C
Lumen Maintenance 20,000+ hours
Warranty 2 Years Limited

G19 Globe
E11



Working Voltage 100 - 240V AC
Weight 1.7 oz. (48 g)
Operating Temp -20°C to +40°C
Lumen Maintenance 20,000+ hours
Warranty 2 Years Limited

G19 Globe
E12 (US)



Working Voltage 100 - 240V AC
Weight 1.7 oz. (48 g)
Operating Temp -20°C to +40°C
Lumen Maintenance 20,000+ hours
Warranty 2 Years Limited

G19 Globe
E12 (EURO)



Working Voltage 100 - 240V AC
Weight 1.7 oz. (48 g)
Operating Temp -20°C to +40°C
Lumen Maintenance 20,000+ hours
Warranty 2 Years Limited

G19 Globe
E17



Working Voltage 100 - 240V AC
Weight 1.7 oz. (48 g)
Operating Temp -20°C to +40°C
Lumen Maintenance 20,000+ hours
Warranty 2 Years Limited

G19 Globe

G19 Globe

E14 (US)



Working Voltage	100 - 240V AC
Weight	1.7 oz. (48 g)
Operating Temp	-20°C to +40°C
Lumen Maintenance	20.000+ hours
Warranty	2 Years Limited



G19 Globe

E14 (EURO)



Working Voltage	100 - 240V AC
Weight	1.7 oz. (48 g)
Operating Temp	-20°C to +40°C
Lumen Maintenance	20.000+ hours
Warranty	2 Years Limited



G19 Globe

B22D



Working Voltage	100 - 240V AC
Weight	1.7 oz. (48 g)
Operating Temp	-20°C to +40°C
Lumen Maintenance	20.000+ hours
Warranty	2 Years Limited





CHIPSET LUMINAIRE

All lumen data from chipset manufacturers.



V5 series

Chipsets		
Power Consumption		7 Watts
True White	CRI 80	720 lm
Natural White	CRI 80	590 lm
Warm White	CRI 80	520 lm



V4 series

Chipsets		
Power Consumption	7 Watts	7 Watts
True White	CRI 80	520 lm
Natural White	CRI 80	455 lm
Warm White	CRI 80	420 lm
	CRI 90	320 lm





CHIPSET LUMINAIRE



All lumen data from chipset manufacturers.

V3 series

Chipsets			
Power Consumption		1 Watt	3 Watts
True White	CRI 80	120 lm	200 lm
Natural White	CRI 80	120 lm	200 lm
Warm White	CRI 80	70 lm	125 lm
	CRI 90	56 lm	100 lm
Red		50 lm	100 lm
Green		120 lm	200 lm
Blue		35 lm	65 lm





Chipsets		
Power Consumption	5 Watts	7 Watts
True White	CRI 65	390 lm
Warm White	CRI 82	260 lm





V2 series

Power Consumption		7 Watts
True White	CRI 75	350 lm
	CRI 90	280 lm
Natural White	CRI 75	320 lm
	CRI 90	260 lm
Warm White	CRI 75	280 lm
	CRI 90	225 lm



V1 series

Power Consumption		5 Watts	7 Watts
True White	CRI 70	220 lm	250 lm
	CRI 90	176 lm	200 lm
Natural White	CRI 70	220 lm	250 lm
	CRI 90	176 lm	200 lm
Warm White	CRI 70	150 lm	170 lm
	CRI 90	120 lm	136 lm
Red		120 lm	140 lm
Green		140 lm	170 lm
Blue		70 lm	80 lm



BEAM ANGLE



COLOR

